























Wyniki - Zestawienie przegród

Symbol	Opis	d	R	U	Φ_T
		m	$m^2 \cdot K/W$	$W/m^2 \cdot K$	W
 BG	BRAMA GARAŻOWA			1,700	381
 DA1	Dach	0,401	5,316	0,188	328
 DA2	Dach	0,421	5,835	0,171	772
 DA3	Strop pod nieogrz. poddaszem	1,689	8,306	0,120	1180
 DA4	Dach	0,358	5,285	0,189	65
 DZ	Drzwi zewnętrzne			1,700	779
 O1	Okno zewnętrzne			1,200	1964
 PG1	Podłoga na gruncie	0,504	2,736	0,365	0
 PG2	Podłoga na gruncie	0,535	4,887	0,205	477
 PG3	Podłoga na gruncie	0,528	4,892	0,204	519
 PG4	Podłoga na gruncie	0,470	3,713	0,269	269
 PG5	Podłoga na gruncie	0,584	4,875	0,205	
 SZ 10	Ściana zewnętrzna	0,496	5,217	0,192	184
 SZ 11	Ściana zewnętrzna	0,623	5,531	0,181	588
 SZ 2	Ściana zewnętrzna	0,603	5,453	0,183	243
 SZ 3	Ściana zewnętrzna	0,626	5,497	0,182	278
 SZ 4	Ściana zewnętrzna	0,629	5,390	0,186	274
 SZ 5	Ściana zewnętrzna	0,649	5,945	0,168	167
 SZ 6	Ściana zewnętrzna	0,529	5,654	0,177	532
 SZ 7	Ściana zewnętrzna	0,583	4,525	0,221	533
 SZ 8	Ściana zewnętrzna	0,523	5,631	0,178	112
 SZ 9	Ściana zewnętrzna	0,408	5,624	0,178	222